

Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN34NLEAG



Included accessories

3 x egg tray
1 x ice cube tray with lid

- **Perfect Fit:** place your fridge right next to walls and other appliances to save space.
- LED lights bring a completely new lighting concept to fridges
- **Multi Airflow System:** even air distribution for longer freshness.
- FreshSense sensors constantly monitor and control the ambient, fridge and freezer temperature
- **SuperFreezing:** Protects frozen food from defrosting.

Technical Data

Energy Efficiency Class: E
Average annual energy consumption in kilowatt hour per year (kWh/a): 244 kWh/annum
Sum of volume of frozen compartments: 107 l
Sum of volume of chill compartments: 193 l
Airborne acoustical noise emissions : 42 dB(A) re 1 pW
Airborne acoustical noise emission class: D
Construction type: Free-standing
Door panel options: Not possible
Width of the appliance: 600 mm
Depth of the product: 660 mm
Net weight: 62.344 kg
Connection rating: 100 W
Fuse protection: 10 A
Door hinge: Right reversible
Voltage: 220-240 V
Frequency: 50 Hz
Approval certificates: CE, VDE
Length of electrical supply cord: 240 cm
Storage Period in Event of Power Failure (h): 12 h
Number of compressors: 1
Number of independent cooling systems: 1
Interior ventilator: No
Reversible Door Hinge: Yes
Number of Adjustable Shelves in fridge compartment (Stck): 2
Shelves for Bottles: No
Installation type: N/A



Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN34NLEAG

- KGN34NLEAG
- No Frost, Fridge freezer
- Cambered door, High-door design Stainless steel look

Design features

- Stainless steel look doors and Pearl grey (VZF 07127) side panels
- Integrated horizontal handle
- Right hinged door, door reversible
- LED electronic control

Food freshness system

- 1 compressor

Key features - Fridge section

- 1 MultiBox - Transparent drawer with a rippled bottom, ideal for storing fruits and vegetables.
- MultiAirflow system - improves circulation of air around the fridge
- Bright interior LED fridge light
- 4 safety glass shelves (2 height adjustable)
- Door shelves in fridge door: 1 large and 2 small.
- Super Cooling: No

Key features - Freezer section

- No Frost, never have to defrost ever again
- 3 freezer drawers
- SuperFreezing function with automatic deactivation
- Calendar frozen food
- Freezer malfunction warning signal: optical and acoustical warning system

Additional features

- Optical and acoustical
- 3 x egg tray, 1 x ice cube tray

Dimension and installation


- Connection value 100 W
- 220 - 240 V
- Height adjustable front feet
- Dimensions: 186 cm H x 60 cm W x 66 cm D
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Functions

Performance and Consumption

- EU19_EEK_D: E
- Total Volume : 300 l
- Net Fridge Volume : 193 l
- Net Freezer Volume : 107 l
- Freezing capacity 24h : 12 kg
- Annual Energy Consumption: 244 kWh/a
- Climate Class: SN-T
- EU19_Fast freezer facility_D
- Noise Level : 42 dB , EU19_Noise emission class_D: D
- Temperature rise time : EU19_Temperature rise time_D: 12 H

Serie | 2, Free-standing fridge-freezer with freezer at bottom, 186 x 60 cm, Inox-look KGN34NLEAG




Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles, in order to open easily, a minimum distance of 65 mm is needed.

measurements in mm

Appliance name	a	b	c	d	e	f	g
KGN33 (inner handle)	1760	600	660	590	600	1210	12



Description	
a	Height
b	Width
c	Depth with door closed, without handle
d	Cabinet depth
e	Width with door opened to 90°
f	Depth with door opened
g	Air gap for installation in recess or fitted cabinet

measurements in mm